


The Aminoglycoside with a Cutting edge !

Amicox

Amikacin Injection

- Rapidly bactericidal at low concentrations, with focused activity for facultative gram negative bacteria & staphylococci.
- Drug of choice for any suspected gram negative bacteraemic infection, particularly in neutropenic patients with upper UTIs
- Negligible chances of relapse
- Good activity against M. tuberculosis, rapidly growing mycobacteria & M. leprae

- Bacterial septicaemia
- Serious RTIs
- Cystic fibrosis
- Meningitis
- Intra-abdominal infections
- UTIs
- SSTIs
- Bone & joint infections
- Postoperative infections



Amicox

100

250

500

The Aminoglycoside with a Cutting edge !

In Day to Day infections...



Cipomax-500 TABLETS

Ciprofloxacin 500 mg.

Extended Spectrum Anti-Bacterial

*Ciprofloxacin is superior in systemic & mixed infections & is the drug of choice in many gram + ve & gram -ve infections.

*Essentials of Medical Therapeutics, 4th ed., p. 698, 1999

An Effective Alliance for Better Reliance ...

- Offers broader bactericidal action
- Achieves superior tissues concentration
- Resolves infections rapidly & completely
- Has excellent safety & better patient compliance

Cipomax-TZ TABLETS

Ciprofloxacin 500 mg. Tinidazole 500 mg.

- Convenient B.I.D. dosage, ensures compliance with high success rate
- Highly effective against wide range of bacteria and protozoa
- Long half-lives hence pharmacokinetically matched

Faster, Powerful & Superior

IRONET - XT

Syrup

Ferrous Ascorbate 100 mg.+
Folic Acid 1.5 mg. + Zinc 2.5 mg.

FERROUS ASCORBATE

- Produces rapid replenishment of iron stores
- Undergoes high absorption (52%) compared to Ferrous Sulfate
Europenam Journal of Clinical Pharmacology;23(4), July 1982
- No GI irritation or interaction with food occurs
- Maintains iron in highly soluble ferrous form
Pharmacy World & Science;6(6), Dec.1984

FOLIC ACID

- Meets the increased demand during pregnancy
Strengthens foetoneuronal tube

ZINC

- Vital for foetal growth

Healthy Life for Everyone



Iron Deficiency Anaemia



Heavy Menstruation



Pregnancy/Lactation



Post partum Haemorrhage



The once
daily multihaematinic

GI Bleeding

Anaemia

Lactation

Pregnancy

IRONET
Cap.

(Carbonyl Iron, Folic Acid & Zinc)

IRONET
SYRUP

Elemental Iron + Folic Acid

Carbonyl Iron

- Single Particle provides 98% Pure Iron
- Free from problems of Diarrhoea, Constipation, Nausea & Vomiting unlike conventional oral iron
- Safety Profile 30 to 100 times higher than other iron salts

Folic acid

- Protects unborn baby against birth defects
- Promotes erythropoiesis

Zinc Sulphate

+ Important in the formation of all organs & thus vital for foetal growth

+ Substantially improves immune system
+ Helps in preventing IUGR

Assures faster rise in Hb

The free radical challenge...

May cause a potent threat to healthy life...

for assurance towards healthier life.

LYCOTEL

Softgel Capsule

Indications:

- Atherosclerosis
- Chronic Alcoholism & Smoking
- Post Myocardial Infarction
- Coronary Degenerative diseases
- Intra uterine Growth Retardation
- Adjuvant with antibiotics
- Infertility
- Skin Infections/Aging
- Cataract
- Macular Degeneration
- Diabetic Complication
- Cancer

LYCOTEL

SYRUP

Natural assurance towards healthier life.

Vitamin A, C & E

- Scavenges free radicals
- Powerful antioxidants that protect cell membranes & other fat soluble parts of the body such as ideal cholesterol

Lycopene

- Lycopene & Vitamin A has highest singlet oxygen quenching & peroxyl radical scavenging action
- Helpful in the prevention of C.V.D. & Cancers
Useful in the prevention of Osteoporosis



LECON

powerful & broad spectrum

TABLETS



- Rapidly absorbed & ensures large volume of distribution
- Penetrates deep into body tissues & fluids
- Longer elimination half-life ensures convenient once to twice daily dosing
- No dosage adjustment necessary in liver dysfunction
- Ensures good G.I. tolerability

Striking Power In Managing Bacterial Infections



Levofloxacin (LECON) ensures high efficacy
rates in treatment of

- URTI(91.4%)
- Community acquired pneumonia (80.3%)
- Chronic bronchitis (83.8%)
- Acute sinusitis (82.9%)
- Bacterial or mycoplasma pneumonia (87.1%) where as available fluoroquinolones do not have established recommendations

LECON

powerful & broad spectrum

TABLETS

Anti-bacterial with an edge over quinolones

A Gift From Nature

LIVONET

THE HEPATOPROTECTOR

Protects The Liver Against
Various Hepatotoxins,
Corrects Liver Dysfunction
And Damage

LIVONET cap.



Syrup



Each 15 ml. contains :			
Aqueous extract derived from :			
Eclipta Alba	100 mg.	Embelia Ribes	75 mg.
Holarrhena Anhysenterica	100 mg.	Amoora Rohituka	75 mg.
Andrographis Paniculata	10 mg.	Berberis Aristate	75 mg.
Boerhaavia Diffusa	200 mg.	Plumbago Zeylanica	75 mg.
Tinospora Cordifolia	200 mg.	Cissampelos Pareira	75 mg.
Picrorhiza Kurrooa	100 mg.	Sodium Benzoate	20 mg.
		(as preservative)	
		Flavoured Syrup Base	q.s.

DOSE : 2 tablespoonfuls twice a day or as directed by the physician.

Milimax Health Care

Give the Half Life Advantage with ...

miliXone

Injection

Ceftriaxone 250 mg., 500 mg. & 1 gm.


- ◆ Meningitis
- ◆ Bacteraemia
- ◆ Septicaemia
- ◆ Pneumonia
- ◆ Gonorrhoea
- ◆ Peritonitis

Dosage:
Adults 1-2 gm OD
Children : 50-75 mg/kg/day

Infants & Children meningitis

Sterilization of CSF in 98-100% patients within 18-36 hrs.

In Community acquired pneumonia



In Surgical Prophylaxis

Ceftriaxone statistically superior to other antibacterials in preventing both local and remote postoperative infections

Broader spectrum

Long elimination half life


Widely distributed in tissues & fluids

No dosage adjustment required in renal or hepatic impaired patients

Acute Otitis media

A single IM dose of Ceftriaxone recommended for those who does not improve within 3 days with other (Amoxycillin/Clavulanic or Cefuroxime axtil etc.)

In Pregnant woman with acute pyelonephritis



miliXone-TZ

Tazobactam 125mg. Injection

...Safety, Comfort & Compliance.

Declare war against mixed
microbial infections...




TABLETS
MELOF
Ofloxacin 200 mg./ 400 mg.

TABLETS
MELOF-OZ

Ofloxacin 200 mg. + Ornidazole 500 mg.



- GIT Infections
- Gynaecological Infections
- ENT Infections
- Acute Diarrhoea of mixed origin
- Dental Infections
- Post Surgical Procedures



Ornidazole

- Superior Efficacy in protozoal & Mixed Infections
- Less Chances of nausea, gastritis & headache

Ofloxacin

- Excellent spectrum includes Gm+ve, Gm-ve & atypical pathogens
- Excellent oral absorption & bioavailability 85-95%
- Exhibits high tissue & intracellular concentration, with adequate level in bile & faeces
- Effective against organisms resistant to Ciprofloxacin

THE TRUSTED WARRIOR ...

To Combat Muscular Pain In Painful
Inflammatory Disorders



ACZOX-MR

TABLETS

Diclo. Potassium + Paracetamol + Chlorzoxazone

50 mg

325 mg

250 mg



A Three Dimensional Approach

- Provides rapid & powerful analgesia
- Offers strong anti-inflammatory action
- Ensures potent & safe skeletal muscle relaxant action

Multiple therapeutic approach should be utilized because different modalities exhibit additive or synergistic effect when used together rather than separately.*

Relieves Skeletal Muscle Spasm &
Restore Natural Mobility

ACZOX-MR

For Painful Inflammatory Disorders

During Hyperacidic
Reflux...



Mizole-D

CAPSULES

(Omeprazole 20 mg. + Domperidone 10 mg.)


C A L M & C O N T I N U O U S R E L I E F

Omeprazole

- Inhibits basal & stimulated gastric acid secretion
- Ensures rapid healing of peptic ulcers
- Food doesn't interfere with bio availability of drug
- Proven safety in long term use

Domperidone 10 mg

- Improves peristaltic contractions and esophageal clearance
- Increases the tone of the lower esophageal sphincter, and accelerates gastric emptying,



1. NEJM Volume 333:1148-1150 October 26, 1995

Duodenal or Benign Gastric Ulcers	Acid Reflux Disease
NSAID's Associated Ulcers/ Gastroduodenal erosions	Reflux Esophagitis
GERD	Gastric Pain
Acid Aspiration During Anaesthesia	Dyspepsia & Bloating

Mizole-20 mg

(Omeprazole)

Puts you back on track.



Third Generation Oral Cephalosporin with
High Safety & Efficacy Profile

Milifix

100
200
TABLETS

(Cefixime 100 mg. D.T. / 200 mg.)




Nue Hc. In-vitro activity
of broad spectrum Beta-Lactamase (Cefixime)

Pediatric Infection Dis.J. 2000;6: 958-962

Respiratory Tract Infections
Higher Success Rates



Urinary Tract Infections
Cost effective & Safe antibiotic
97% efficacy in uncomplicated UTI



Intravenous to oral switch over therapy
Efficacy of Cefixime Milifix as oral therapy
administered after short course of I.V.
Ceftriaxone in Patients with LRTI yielded excellent
Success rates.

Milifix-CV Milifix-AZ

Cefixime-200 + Clavulanic Acid 125 mg.

Cefime-200mg. + Azithromycin-250mg.

- Broad spectrum antibiotic with good activity against both Gram +ve & Gram -ve organisms
- Highly active against both beta-lactamase and non beta-lactamase producing strains
- Achieves high cure rates of 99% in Tonsillopharyngitis
(Clinical therapeutics, 2006, vol.29.28, no.1, pp.89-109)
- Achieves superior clinical cure rates compared to clotrimazole in Urinary Tract Infections
(British Medical Journal, vol.299, 14 July 1994)

The most potent 3rd generation Oral Cephalosporin

All Antihistamines Treat Allergy



Mycet-L

LEVOCECETIRIZINE 5 MG TABLETS

BUT WHAT ABOUT INTER-PATIENT
VARIABILITY?

Lowest Inter Patient Variability

Drug	% subjects with > 95% inhibition of wheal and flare response ¹
Mycet-L	100
Ebastine	44
Fexofenadine	94
Loratadine	0
Mizolastine	83

Freedom from allergy. Powerfully
MYCET-P Tab.

Cetirizine Hydrochloride 5mg. + Phenylephrine 50mg.
+ Paracetamol 325mg.

MYCET-DS Syrup

Each 5ml suspension Paracetamol IP 250 mg Dextromethorphan Hydrobromide IP 10mg
Phenylephrine Hydrochloride Ip5mg chlorpheniramine Mleate IP 2mg

MAC-CEF

Cefuroxime Axetil 250 / 500 mg. TABLETS 250/500

- ◆ Effective against a wide variety of organisms including staphylococcus aureus, Streptococcus pneumoniae, Haemophilus influenzae, E. Coli
- ◆ Achieves superior cure rates compared to Penicillin in tonsillopharyngitis (Clin-Drug Invest 19 (6) 421 - 430, 2000)
- ◆ Valuable antibiotic in the treatment of complicated urinary tract infections caused by resistant klebsiella (Journal of Antimicrobial Chemotherapy (1979) 5, 189-193)
- ◆ Well tolerated drug

MAC-CEF
250/500

- Pharyngitis / Tonsillitis
- ENT / UTI Infections
- Skin & Soft Tissue Infections

Supreme Choice For
Infections



Milimax™ Health Care



Miclav-625

Amoxycillin 500mg. + Clavulanic Acid 125 mg.

Tablets

Hit **hard** at tough
infections...

| Bronchitis | Pneumonia | Sinusitis

| Tonsillitis | Urinary Tract Infections

Skin & Soft Tissue Infections

□ Broad spectrum antibiotic with good activity against both Gram + ve & Gram - ve organisms


□ Highly active against both beta-lactamase and non beta-lactamase producing strains

□ Achieves high cure rates of 99% in Tonsillopharyngitis

(Clinical Therapeutics, 2008, vol.26, no.1, pp.99-109)

□ Achieves superior clinical cure rates compared to clotrimazole in Urinary Tract Infections

(British Medical Journal, vol.289, 14 July 1984)



Strikes
against
infections
POWERFULLY

Miclav - Dry Syrup

Each 5 ml/30ml.

Amoxycillin 200mg. + Clavulanic Acid 28.5mg.

Miclav - 1.2gm.

Amoxycillin 1000mg. + Potassium Clavulanic Acid 200mg.

Milimax® Health Care

Milixone-SB 375/750/1.5 gm.

Ceftriaxone 250/500/1000mg. +Sulbactam 125/250/500mg. INJ.

... IN A **COMBAT** AGAINST **INFECTIONS**

Ceftriaxone...

- ♦ Excellent & superior activity Methicillin susceptible *A. aureus* and coagulase - ve staphylococci with 100% susceptibility than 90% with Ceftazidime
- ♦ Excellent treatment efficacy in patients with bacterial Meningitis
- ♦ Achieved clinical success in 95% of women with mild to moderate pelvic inflammatory disease

Sulbactam...

- ♦ Intrinsic antimicrobial activity helps overcome β -lactamase mediated resistance
- ♦ Increases the antimicrobial spectrum & clinical effectiveness of Ceftriaxone against nosocomial and other pathogens.

TRIUMPH OVER INFECTIONS

Meningitis / Septicaemia / Nosocomial infections / MDR typhoid Surgical procedures / Prophylaxis / Acute Otitis media / Skin & soft tissue infection / Community acquired pneumonia

A Winning
EDGE



Melide-*P*

T A B L E T S

Aceclofenac 100 mg. + Paracetamol 325mg

Aceclofenac ...

- Directly inhibits PGE2 secretion at the site of inflammation
- Stimulates the synthesis of the extracellular matrix of the human articular cartilage
- An NSAID with greater COX-2 specificity when compared to Diclofenac Sodium

Paracetamol ...

- Well known antipyretic & analgesic
- Arthritis
- Spondylitis
- Low Back Pain
- Cervical Pain
- Post traumatic
- Pain



Winning Battle Over Pain



Melide-*P*... ultimate **warrior** to win only

Nimesulide - 100mg.+ Paracetamol 325mg.



The Convenient, Intramuscular

Low viscosity - less painful arteether

MILITHER 1ml.
2ml.

α - β Arteether Injection

Fast Acting Antimalarial

When hospitalization is not required

Potent & Fast Acting Schizonticidal for Ambulatory Patients

- Faster coma resolution
- Faster fever control

As monotherapy, atleast 7 days of treatment with artemisinins are needed ; shorter course are associated with recrudescence rates of 25% or higher

Southeast Asia J Trop Med Public Health Vol 38 No. 6 November 2007 Pg 977

150 mg.
7 DAYS

ADULTS : 150 mg. (1 ampoule) for 7 days

Three days milither 1ml./2ml. followed by maligo 300 tab.



These Meancing Malaria Parasites
are to Be Ruthlessly Destroyed

Amtry-60

Artesunare 60 mg. Injection

Global Menace can
not be Eradicated but patients

can be saved

- Acts rapidly upon asexual erythrocytic state of P. Vivex & chlorquine sensitive, resistant & multi drug resistant strains of P. Falciparum
- Achieves high concentration in the intensive, liver & kidneys.
- Concentrated in parasitized erythrocytes

In :

Complicated Falciparum Malaria
Cerebral Malaria
Chloroquine Resistant Malaria




Amtry-60
Artesunare 60 mg. Injection

For a balanced coverage against gram positive and gram negative pathogens

MEDOX -200mg./Dry Syrup

Cefpodoxime Proxetil 200 mg. Tablets
Cefpodoxime Proxetil 50 mg. / 5 ml. Dry Syrup



- New generation bactericidal cephalosporin effective on oral adn
- Many betalactamase producing organisms resistant to penicillir or ohter cephalosporin are susceptibel to cefpodoxime.
- Safe for use from paediatric to geriatrics
- Maintains serum concentration above MIC for longer time.

Sapns completely ...
Positive to negative



Upper Respiratory Infections

Uncomplicated Urinary Infections

Uncomplicated Gonorrhea

Skin & Skin Structure Infections

Otitis Media

Fungal Infections
can be tough
to Eradicate...



Ensure complete eradication with...

Mconz™ $\frac{100}{200}$ Itraconazole 100/200 mg. Caps.

- Broad spectrum of action with efficacy against aspergillosis, Histoplasmosis, Candidiasis, as well as fungal infection of toe nails and onycomycosis
- Itraconazole is a Liposoluble Compound and it stay in lacrimal oil layer
- A potent fungistatic that effective even in immuno compromised patients
- Itraconazole was tolerated significantly better than conventional AMB and also showed advantages regarding efficacy
- Itraconazole is a useful and safe agent in empirical antifungal therapy

Complete eradication of tough fungal infections.....

MILICORT

Deflazacort - 6 mg.

DEFLAZACORT :

it is a glucocorticoid. Its anti inflammatory and immunosuppressive effects are used in treating a variety of disease and are comparable to other anti inflammatory steroids.



Indications : Rheumatoid Arthritis & juvenile Chronic Arthritis, Asthma and other airway diseases, Pemphigus, Uveitis, Nephrotic Syndrome, immunne suppression in transplanation.

Dosage : The dosage should be individually treated according to diagnosis, severity of disease and patient response and tolerance. The lowet dose that will produce an acceptable response should be used.



The Convenient, Intramuscular

Low viscosity - less painful arteether

MILITHER-LF Tab.

α - β Artemether 80mg. + Lumefemtrine 480mg.

Fast Acting Antimalarial

When hospitalization is not required

Potent & Fast Acting Schizonticidal for Ambulatory Patients

- Faster coma resolution
- Faster fever control



As monotherapy, atleast 7 days of treatment with artemisinins are needed ; shorter course are associated with recrudescence rates of 25% or higher

Southeast Asia J Trop Med Public Health Vol 38 No. 6 November 2007 Pg 977



Levocetirizine Dihydrochloride IP 5 mg. + Montelukast Tablet 10 mg.

working together against In Allergic Rhinitis & Asthma

- Relives Symptoms of Allergic Rhinitis & Asthma
- Provides Comprehensive Control On Early & Late Phases
- Montelukast inhibit the action of Leukotriene like LT C4, LT D4 & LT E4 which are powerful Broncho Constrictor



a synergy combination
for healthy life

- Propylaxis And Chronic Treatment of Asthma
- Allergic Rhinitis
- Exercise Induced Broncho Constriction



A Product of Potential Management
In Neurological & Somatic Disorders

NICOMIN 500 tab.

Methylcobalamin 500 mcg. + Niacinamide 45 mg. +
Pyridoxine Hydrochloride 3mg. + Thiamine
Mononitrate 10mg. + Folic Acid 1.5mg. + Calcium D-
Pantothenate 50mg.

METHYLECOBOLAMINE - The Neurologically Active Coenzyme B-12

- Promotes myelin formation thus protect nerve cells
- Promotes regeneration of nerve cells
- Helps repair injured tissues & normalises nerve condition

- Supports healthy brain & spinal cord
- Maximises mental clarity
- Helps improve energy activation in body
- Supports utilization of Iron
- Enhances memory power
- Corrects sleep disturbance & wake up problem
- Takes care of visual accommodation

NICOMIN FORT

Methylcobalamin 1500 mcg. + Niacinamide 45 mg. +
Pyridoxine Hydrochloride 3mg. + Thiamine
Mononitrate 10mg. + Folic Acid 1.5mg. + Calcium D-
Pantothenate 50mg.

NICOMIN GB

Methylcobalamin 500mcg. + Gabapentin 300 mg.

NICOMIN PLUS

Methylcobalamin 750mcg. + Alpha Lipoic Acid 100 mg. + Benfotiamine 100 mg. + Chromium Picolinate 200 mcg. + Vitamin B6 3 mg. + Folic Acid 1.5 mg. + Inositol 100 mg.

NICOMIN OD

Methylcobalamin 1500 mcg. With Dispos Pack

Improves **mental function** through &
positive effect on process

NEUROMAX

Piracetam 1200/800 Tablet/Syrup

also available

Each 5ml. contains :
Piracetam 500mg.
syrup



EFFECTS OF NEUROMAX

- Modulates neurotransmission
- Protects brain exposed to traumas
- Improves cognitive function such as learning memory and attention
- Reduces clot formation in vascular endothelium
- Brings blood vessels to their normal tonic state
- Reduces risk of thrombosis

DESIRED IN CASE OF

**STROKE • DYSLEXIA • MYOCLONUS • APHASIA
HEAD INJURIES • DEMENTIA • COGNITIVE
BEHAVIOURAL DISORDER**

NEUROMAX *Facilitates better thinking with positive results*

For Symptomatic healing fo

Gastrointestinal diseases requiring reduction in acid secretion

PRADO-D

Pantoprazole 40mg. + Domperidone 10mg. Tablets

"Reflux of acid contents of stomach cause erosion of lower part of oesophagus & this further aggravate vomiting and nausea. Since both hyper acidity & dysmotility are present at the same time, a combination of two drugs to treat them will be ideal."



Provides you the healing touch.

REFLUX OESOPHAGITIS

GASTRIC/DUODENAL ULCER

NSAID INDUCED DYSPEPSIA

GASTRITIS/NON ULCER DYSPEPSIA

DYSPEPSIA/BLOATING/FULLNESS/BELCHING



Tablets

PRADO-40

Pantoprazole 40mg.



Injection

PRADO-I.V.

Pantoprazole 40mg.



Capsule

PRADO-DSR

Pantoprazole 40mg. + Domperidone 10mg.



PANTOPRAZOLE

A potent gastric acid inhibitor that blocks the final stage of acid secretion. Quickly relieves heart burn & acid belching.

DOMPERIDONE

Promotes Peristalsis movement & acid belching.

When PPI Alone Is Just Not Enough



RADO DSR

(Rabeprazole 20 mg. + Domperidone 30 mg. Tablets)

Rabeprazole :

- More potent proton pump inhibitor
Aliment Pharmacology ther : 2003 (12) : 1507-14
- Acid Control & Symptom relief over 24 hrs.
Eur J Gastroenterol Hepatol 2001 supp. 1:543-7
- Early recovery of normal acid secretion.

Domperidone :

Regulates GI peristalsis, Prevents acid reflux In :

- Gastritis
- Gerd
- Peptic Ulcer
- Hypersecretory Conditions
- Adjuvant To H.pylori Therapy

For Quick Recovery &
More Effective Antibiosis...

SEDEL

T A T A B L E E T S

Serratiopeptidase 10 mg. +
Diclofenac Potassium 50 mg.

- Removes inflammatory barries, cell debris & pus.
- Ensures quick reduction in pain, inflammation & swelling
- Improves micro circulation
- Accelerates the elimination of Sputum, Pus & Haematoma

SEDEL-P

Serratiopeptidase 10 mg.
Diclofenac Potassium 50 mg. + Paracetamol 500mg.

SEDEL OIL

A Pain Killer Oil
From Ayurvedic

An Ideal Combination for Ideal Protection

Many studies of proteolytic enzymes (Like Serratiopeptidase*) over the years have demonstrated their effectiveness in relieving pain and inflammation independently of steroids or nonsteroidal anti-inflammatory drugs (NSAIDs)

Clin Drug Invest 2000; 19(1):15-23



*For ultimate effective control
over pain & inflammation*

SEDAL-AP Tablets

(Aceclofenace 100 mg. + Paracetamol 325 mg. + Serratiopeptidase 15 mg.)

Aceclofenace :

Very powerful analgesic & anti-inflammatory.
Latest pain reliever
Rapidly absorbed & almost 100% bioavailability.

Paracetamol :

The Versatile Analgesic
Time Tested, Safe & Effective Pain Reliever.

Serratiopeptidase :

Offers proteolytic activity- clears pus & oedema
Improves microcirculation.

SEDAL-AP

- Osteoarthritis
- Post Traumatic Pain
- Rheumatoid Arthritis
- Cervical Pain
- Low Back Pain



A Supplement That
Rejuvenates You...



SPOXY

CAPSULE

A Powerful combination of Antioxidants, vitamins & Minerals with Zinc

Overcomes free radical induced oxidative damage. Ensures faster recovery during various diseases states.

Minimizes Cv, Diabetes complications and degenerative effect of ageing.

- Minerals

- CV disease
- Neurological disease
- Renal disease
- Diabetes

- Anti-Oxidants

- Viral infections
- Inflammatory problem.
- Liver Disease
- Ageing

- Multivitamins



SPOXY

A Balanced Nutritional Therapy for All Ages & Stages.



Superior Appetite Stimulant

TRICON Syrup

Cyproheptadine HCL 2mg., Tricholine Citrate 0.272 gm
& Sorbitol Sol (70%) 3.75 gm/5ml.

- **Improves appetite & growth**
- **Accelerates weight gain & linear growth in children**
- **Outstanding appetite stimulant**



TRICON Improves appetite, Health & Growth

Digestive
Enzyme

Zeal
SYRUP

Formula Change

Composition :

Each 15 ml. contains :
Protein Hydrolysate 20%
L - Lysin Monohydrate
Pepsin
Niacinamide
Vitamin B1
Vitamin B2
Vitamin B6
Flavoured Syrup Base

50 mg.
50 mg.
30 mg.
5 mg.
1 mg.
1 mg.
0.5 mg.
q.s.

Dosage : 1 to 2 table spoon full may be taken by adults and 1 teaspoonful may be given to Children twice a day after food with water or fruit juice, but not with milk. N.F.M.U.

An Ideal Combination
FOR DIGESTION
Now Live With Zeal

